


| EAST - [Untitled:1] | | | | | | | | | |
|--|--------------------------|--------------------------|---------------|------------|----|------------------------------|------------|--------------|-----------|
| File View Edit Tools Window Help | | | | | | | | | |
| <div> <div>Drafts</div> <div>Pending</div> </div> <div> <div>BRS form</div> <div>IS&R form</div> <div>Image</div> <div>Text</div> </div> | | | | | | | | | |
| | U | L | Document ID | Issue Date | Pa | Title | Current. O | Current XRef | Retrieval |
| 1 | <input type="checkbox"/> | <input type="checkbox"/> | US 6274671 B1 | 20010814 | 1 | Resin compositions for | 525/101 | 525/100 | |
| 2 | <input type="checkbox"/> | <input type="checkbox"/> | US 6077528 A | 20000620 | 6 | coatings | | | |
| 3 | <input type="checkbox"/> | <input type="checkbox"/> | US 5880245 A | 19990309 | 9 | Percutaneous preparation | 424/448 | 424/449 | |
| 4 | <input type="checkbox"/> | <input type="checkbox"/> | US 5719249 A | 19980217 | 9 | of novel reactive silicon | 528/27 | 525/403 | |
| 5 | <input type="checkbox"/> | <input type="checkbox"/> | US 5693786 A | 19971202 | 1 | Reactive silicon | 528/27 | 525/403 | |
| 6 | <input type="checkbox"/> | <input type="checkbox"/> | US 5648427 A | 19970715 | 5 | group-containing | 536/107 | 525/474 | |
| 7 | <input type="checkbox"/> | <input type="checkbox"/> | US 5306435 A | 19940426 | 2 | Esterfied, polyester-grafted | 525/104 | 536/124 | |
| 8 | <input type="checkbox"/> | <input type="checkbox"/> | US 5182250 A | 19930126 | 1 | starch | | | |
| 9 | <input type="checkbox"/> | <input type="checkbox"/> | US 5137990 A | 19920811 | 1 | Curable composition | 252/8.57 | 252/8.61 | |
| 10 | <input type="checkbox"/> | <input type="checkbox"/> | US 4976785 A | 19901211 | 8 | Treating agent composition | 502/314 | 502/204 | |
| 11 | <input type="checkbox"/> | <input type="checkbox"/> | US 4873309 A | 19891010 | 9 | for leather, for fibrous | 525/530 | 525/502 | |
| 12 | <input type="checkbox"/> | <input type="checkbox"/> | US 4791154 A | 19881213 | 6 | Catalyst composition for | 106/287. | 106/218 | |
| 13 | <input type="checkbox"/> | <input type="checkbox"/> | US 4439557 A | 19840327 | 1 | hydrodesulfurization of | 17 | 106/241 | |
| 14 | <input type="checkbox"/> | <input type="checkbox"/> | US 4221593 A | 19800909 | 4 | Heat-curable | 528/102 | 525/527 | |
| | | | | | 6 | polyepoxide- (meth)acrylate | 523/456 | 528/123 | |
| | | | | | 6 | Paint resin | 523/216 | 524/493 | |
| | | | | | 4 | Stabilized flame-retardant | 524/236 | 106/404 | |
| | | | | | 4 | epoxy resin composition from | | 523/200 | |
| | | | | | 6 | Epoxy resin composition | | | |
| | | | | | 1 | Coating compositions | | | |
| | | | | | 4 | Golden-colored printing ink | | | |



- ☒ L49: (0) aluminum adj1 (pr
- ☒ L50: (0) aluminum adj1 (me
- ☒ L51: (0) aluminum adj1 (et
- ☒ L52: (0) aluminum adj1 (et
- ☒ L53: (0) aluminum adj1 (al
- ☒ L54: (2028) aluminum adj1
- ☒ L55: (0) aluminum adj1 tri
- ☒ L56: (0) aluminum adj5 (al
- ☒ L57: (0) aluminum adj5 (hy
- ☒ L58: (466) aluminum adj1 t
- ☒ L59: (3823) ethyl adj1 ace
- ☒ L60: (17) diethylene adj1
- ☒ L61: (0) 158 and 159 and 1
- ☒ L62: (44) 158 and 159
- ☒ L63: (14) 158 and 159

DBs: USPAT, US-PGPUB

Default operator: OR

☒ Plurals☐ Synonyms☒ Highlight all hit terms initially

158 with 159

| | U | I | Document ID | Issue Date | Pa | Title | Current Q | Current XRef | Retrieval |
|---|--------------------------|-------------------------------------|--------------|------------|----|------------------------------|-----------|--------------|-----------|
| 1 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 6051741 A | 20000418 | 1 | Preparation of | 568/406 | 423/625 | |
| | | | | | 0 | .gamma.,.delta.-unsaturated | | ; 554/38 | |
| 2 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 5623030 A | 19970422 | 1 | Curable composition and | 525/478 | 264/331.11 | |
| | | | | | 2 | process for producing molded | | ; 525/479 | |
| 3 | <input type="checkbox"/> | <input type="checkbox"/> | US 5142079 A | 19920825 | 1 | Fluorinated carbon | 556/183 | 106/241 | |
| | | | | | 9 | chain-containing aluminum | | ; 106/266 | |
| 4 | <input type="checkbox"/> | <input type="checkbox"/> | US 5137990 A | 19920811 | 1 | Heat-curable | 525/530 | 525/502 | |
| | | | | | 1 | polyepoxide- (meth)acrylate | | ; 528/113 | |
| 5 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 4873309 A | 19891010 | 9 | Stabilized flame-retardant | 528/102 | 525/527 | |
| | | | | | | epoxy resin composition from | | ; 525/529 | |
| 6 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | US 4791154 A | 19881213 | 6 | Epoxy resin composition | 523/456 | 528/123 | |
| | | | | | | | | ; 528/365 | |

Start

Proxima SSO

Inbox - Microsof

Application Nu...

EAST - [Unti...

EN 7:54 PM

DBs ☒ Plurals ☐ Synonyms

Default open ☒ Highlight all hit terms initially

158 with 159

09/509,400
2/28/02

Find

Search for: 158 with 159

Default open ☒ Highlight all hit terms initially

Browse

Find

| | U | 1 | Document ID | Issue Date | Pa | Title | Current O | Current XRef | Retriev |
|---|-------------------------------------|---|--------------|------------|----|---|-----------|--------------|---------|
| 1 | <input checked="" type="checkbox"/> | | US 6051241 A | 20000419 | 1 | Preparation of gamma delta 568/406, 103/605 | | | |

ProximaSSD

Inbox - Microsoft Outl.

Application Number In.

EAST - Untitled:11

7:54 PM

MMedley_Job_1_of_1

Printed by HPS Server
for

EAST

Printer: cp3_4c07_gbgnptr

Date: 02/28/02

Time: 18:37:07

Document Listing

| Document | Selected Pages | Page Range |
|-------------|----------------|------------|
| US004574057 | 21 | 1 - 21 |
| Total (1) | 21 | - |